

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/15/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 151518		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 04/01/2016	
NAME OF PROVIDER OR SUPPLIER DEACONESS VNA PLUS, LLC				STREET ADDRESS, CITY, STATE, ZIP CODE 610 E WALNUT ST EVANSVILLE, IN 47734			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
L 000	<p>INITIAL COMMENTS</p> <p>This was a federal hospice health recertification and relicensure survey.</p> <p>Survey dates: March 29- April 1, 2016</p> <p>Provider # 15158</p> <p>Facility Number: # 005939</p> <p>Medicaid Provider ID: 200141390A</p> <p>Census: 55</p> <p>Home visit observations: 3 Clinical records reviewed: 11</p> <p>Deaconess VNA Plus Llc was found to be in compliance with hospice regulations (42 CFR 418.0), no deficiencies were cited.</p> <p>QA: 4/13/16 jlh</p>			L 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.